





AccuColor.





GROUT & CAULK COLOR SELECTOR





AccuColor AccuColor



Power Grout® Ultimate Performance Grout

Power Grout[®] maximizes performance while providing ease of use. Its unique formulation is highly stain resistant and provides strong, color consistent joints by resisting efflorescence, cracking and shrinking. Recommended for high traffic and wet conditions, and in residential and commercial applications. One universal formula for joints from 1/16" to 1/2" wide.

InColor[™] Advanced Performance Grout

InColor[™] grout is a ready-to-use product that provides chemical and stain resistance, color consistency, crack resistance and high strength for heavy traffic areas in commercial and residential installations. Recommended for interior and exterior applications, InColor[™] grout is easy to apply and clean off the face of tile during installation. One universal formula can be used on floors or walls for joints from 1/16" to 1/2" wide.

AccuColor[®] Premium Grout

A polymer enhanced portland cement grout that's specially formulated to provide highly wear-resistant color consistent joints. Meets ANSI A118.6 specifications.

AccuColor EFX® Epoxy Special Effects Grout

A 100% solids epoxy with outstanding stain and chemical resistance, excellent UV color stability, and easy installation and clean-up. AccuColor EFX® offers 700+ grout colors to choose from with optional special effect enhancers. Exceeds ANSI A118.3 specifications.

TEC® GROUT COMPARISON CHART

Grout Features					
	Power Grout®	InColor™	AccuColor®	AccuColor EFX®	
Ready-to-Use		•			
Stain Resistant	٠	•		٠	
Mold and Mildew Resistant	٠	•		٠	
Efflorescence Free	٠	•		٠	
Shrink Resistant	٠	•	•	٠	
Crack Resistant	٠	•		•	
Chemical Resistant		•		•	
Number of Colors	32*	15	32	Over 700**	
Sanded	٠	•	•	•	
Unsanded			•		

*5 lb. jars available in only 12 colors

**Special Order

Power Grout[®] And AccuColor[®] Sanded Coverage Chart

Approximate Coverage per Pound (in Square Feet)

			· ·		
Tile Size	Joint Width				
	1/16"*	1/8"	1/4"	3/8"	1/2"
10" x 10" x 5/16"	29.00	14.57	7.29	4.86	3.64
12" x 12" x 5⁄16"	35.00	17.49	8.74	5.83	4.37
12" x 24" x 3/8"	38.80	19.40	9.70	7.30	4.90
16" x 16" x 5⁄16"	46.50	21.86	10.93	7.29	5.46
18" x 18" x 5⁄16"	51.00	24.98	12.49	8.33	6.25
24" x 24" x 5⁄16"	100.00	34.97	17.49	11.66	8.74

*1/16" joint width applicable to Power Grout® only.

AccuColor [®] Unsanded Grout Coverage Chart							
Approximate Coverage per Pound (in Square Feet)							
Tile Size	Tile Size Joint Width Tile Size Joint Width						
	1/16"	1/8"		1/16"	1/8"		
3/8" x 3/8" x 1/4"	1.67	0.83	6" x 24" x 5/16"	57.00	28.00		
1" x 1" x 1/4"	4.45	2.23	8" x 10" x 1/4"	39.53	19.76		
2" x 2" x 1/4"	8.90	4.45	12" x 12" x 3/8"	35.56	17.78		
4-1/4" x 4-1/4" x 1/4"	18.90	9.44	16" x 16" x 3/8"	47.50	23.70		
6" x 6" x 1/4"	26.67	13.33	24" x 24" x 3/8"	71.00	35.50		

InColor™ Grout Coverage Chart

A	pproximate	Coverage	per Pound (lin Sa	uare Feet)

Tile Size	Joint Width				
	1/16"	1/8"	3/16"	1/4"	3/8"
1" x 1" x 1/4"	4	2			
4-1/4" x 4-1/4" x 5/16"	12	6	4	3	2
12" x 12" x 3/8"	30	15	10	7	5
16" x 16" x 3/8"	39	20	13	10	6
18" x 18" x 3/8"	44	22	15	11	7
24" x 24" x 3/8"	59	30	20	15	10



Scan this QR Code with your Smartphone to access our coverage calculator or visit tecspecialty.com.

tecspecialty.com

Printed in U.S.A. ©2014 H.B. Fuller Construction Products Inc. Form #AGCR0414-16



H.B. Fuller Construction Products Inc. 1105 South Frontenac Street Aurora, IL 60504-6451 (800) 552-6225

TEC[®], AccuColor[®], AccuColor EFX[®] InColor[™] and Power Grout[®] are trademarks of H.B. Fuller Construction Products Inc.



GROUT & CAULK COLOR SELECTOR

910 Bright White
928 Praline PG AC 100
931 Standard White PG AC 100 EFX P5
902 Ivory PG AC 100
988 Pearl PG AC 100 IC P5
909 Sterling PG AC 100 IC
949 Silverado PG AC 100 EFX
908 Dove Gray
903 Birch PG AC 100 IC
940 Antique White
906 Cornsilk PG AC 100 IC
991 Parchment

984 Almond PG AC 100 EFX P5
961 Sandstone Beige P6 AC 100 EFX IC P5
945 Light Buff PG AC 100 EFX IC P5
915 Light Smoke PG AC 100 EFX IC P5
925 Sable PG AC 100
985 Sand
944 Light Chocolate
932 Mocha PG AC 100 EFX
973 Warm Taupe
939 Mist PG AC 100
933 Standard Gray
934 DeLorean Gray PG AC 100 EFX IC
927 Light Pewter

982 Summer Wheat P6 AC 100 IC P5
PG AC 100 EFX
935 SilhouettePGAC100IC
958 Espresso PG AC 100 IC
994 Dark Walnut PG AC 100
929 Charcoal Gray PG AC 100 FFX IC P5
941 Raven
997 Bronze
998 Silver
999 Gold

PG	Power Grout [®] Ultimate Performance Grout (10 lb./25 lb. bags)	EFX	AccuColor EFX® Epoxy Special Effects Grout
AC	AccuColor® Premium Grout, Sanded and Unsanded	IC	InColor [™] Advanced Performance Grout
100	AccuColor [®] Siliconized Acrylic Latex Caulk, Sanded and Unsanded and AccuColor 100 [®] 100% Silicone Sealant	P5	Power Grout® Ultimate Performance Grout (5 lb. jars)

Colors shown are reproductions and may vary from actual product.