

WEBCRETE(R) 95 Revision Number 2 Revision Date 03-Jan-2018 Supersedes Date: 27-Jan-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name	WEBCRETE(R) 95
Gen Code / Barcode	747224631688

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Cement.
Uses advised against	No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc. 11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International) Fax: +1 (414) 774-8075

E-mail msds@bostik-us.com

1.4. Emergency telephone number

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3

2.2. Label Elements

EMERGENCY OVERVIEW

DANGER

Hazard statements

Causes skin irritation Causes serious eye damage May cause an allergic skin reaction May cause cancer May damage fertility or the unborn child



Revision Date 03-Jan-2018 Supersedes Date: 27-Jan-2017



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see first aid measures on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

Not applicable

Unknown acute toxicity

15% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

Product dust may be irritating to eyes, skin and respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Limestone	1317-65-3	30 - 60

WEBCRETE(R) 95 Revision Number 2

Revision Date 03-Jan-2018 Supersedes Date: 27-Jan-2017

Cement, alumina, chemicals	65997-16-2	10 - 30
Cement, portland, chemicals	65997-15-1	10 - 30
Calcium sulfate	7778-18-9	1 - 5
Quartz	14808-60-7	0.1 - 1
Flue dust, zinc-refining	69012-63-1	0.1 - 1

The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
Skin Contact	Brush off loose particles from skin. Wash off immediately with plenty of water for at least 15 minutes. May cause sensitization by skin contact. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label. Rinse mouth.
Self-Protection of the First Aider	Use personal protective equipment as required.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms	Irritating to skin. Causes serious eye damage. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization in susceptible persons. Product dust may be irritating to eyes, skin and respiratory system.
4.3. Indication of any immediate me	dical attention and special treatment needed
Note to physicians	May cause sensitization of susceptible persons. May cause sensitization by skin contact. Treat symptomatically.
4.4. Reference to Other Sections	
Reference to other sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire.

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous Combustion	Carbon oxides.
Products	

WEBCRETE(R) 95

Revision Number 2

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None. None.

5.3. Advice for firefighters

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Wear self contained breathing apparatus for fire fighting if necessary.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required. Avoid creating dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing and eye/face protection.
For emergency responders	Sweep up to prevent slipping hazard.
6.2. Environmental precautions	
Environmental Precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.
6.3. Methods and material for conta	inment and cleaning up
Methods for Containment	Prevent dust cloud. Take up mechanically, placing in appropriate containers for disposal. Protect from moisture.
Methods for cleaning up	Use personal protective equipment as required. Sweep up and shovel into suitable containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.
6.4. Reference to other sections	
Reference to other sections	Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Avoid generation of dust. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin and eyes. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct contact with water or excessive moisture. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.
Incompatible Materials	None known based on information supplied.
7.3. Specific end use(s)	

WEBCRETE(R) 95 Revision Number 2

Revision Date 03-Jan-2018 Supersedes Date: 27-Jan-2017

Other Information

No information available.

7.4. References to Other Sections

Reference to other sections

Section 13: DISPOSAL CONSIDERATIONS Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Limestone	-	TWA: 10 mg/m ³ total dust	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³
1317-65-3		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable	STEL: 20 mg/m ³
		dust	fraction	_
Cement, alumina, chemicals	10 mg/m ³ (total; 5	-	-	-
65997-16-2	mg/m³(resp)			
Cement, portland, chemicals	TWA: 1 mg/m ³ particulate	IDLH: 5000 mg/m ³	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³
65997-15-1	matter containing no	TWA: 10 mg/m ³ total dust	TWA: 5 mg/m ³ respirable	STEL: 20 mg/m ³
	asbestos and <1%	TWA: 5 mg/m ³ respirable	fraction	
	crystalline silica, respirable	dust	TWA: 50 mppcf <1%	
	particulate matter		Crystalline silica	
Calcium sulfate	TWA: 10 mg/m ³ inhalable	TWA: 10 mg/m ³ total dust	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³
7778-18-9	particulate matter	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable	
		dust	fraction	
Quartz	TWA: 0.025 mg/m ³	IDLH: 50 mg/m ³ respirable	TWA: 50 µg/m³ TWA: 50	TWA: 0.1 mg/m ³
14808-60-7	respirable particulate matter	dust	µg/m³ excludes	
		TWA: 0.05 mg/m ³	construction work,	
		respirable dust	agricultural operations, and	
			exposures that result from	
			the processing of sorptive	
			clays	
			: (250)/(%SiO2 + 5) mppcf	
			TWA respirable fraction	
			$(10)/(\%SiO2 + 2) \text{ mg/m}^3$	
			TWA respirable fraction	
Flue dust, zinc-refining	TWA: 0.05 mg/m ³ Pb TWA:	IDLH: 9 mg/m ³ Cd dust and	TWA: 50 µg/m³ Pb	TWA: 0.15 mg/m ³ TWA: 0.01
69012-63-1	0.01 mg/m ³ Cd	fume IDLH: 100 mg/m ³ Pb		mg/m ³
	TWA: 0.002 mg/m ³ Cd	TWA: 0.050 mg/m ³ Pb		TWA: 0.002 mg/m ³
	respirable particulate matter			

Chemical Name	Argentina	Brazil	Chile	Venezuela
Limestone 1317-65-3	TWA: 10 mg/m ³	-	TWA: 8 mg/m ³	-
Cement, portland, chemicals 65997-15-1	TWA: 10 mg/m ³	-	TWA: 8 mg/m ³	TWA: 10 mg/m ³
Calcium sulfate 7778-18-9	TWA: 10 mg/m ³	-	-	TWA: 10 mg/m ³
Quartz 14808-60-7	TWA: 0.05 mg/m ³	-	TWA: 0.08 mg/m ³	TWA: 0.025 mg/m ³
Flue dust, zinc-refining 69012-63-1	TWA: 0.05 mg/m ³ TWA: 0.002 mg/m ³	-	TWA: 0.12 mg/m ³	TWA: 0.05 ppm TWA: 0.002 mg/m ³

8.2. Exposure controls

Engineering Controls

Showers Eyewash stations Ventilation systems.

WEBCRETE(R) 95 Revision Number 2	
Personal protective equipment [P	PE]
Eye/Face Protection	Wear safety glasses with side shields (or goggles).

Skin and Body Protection Respiratory Protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Revision Date 03-Jan-2018 Supersedes Date: 27-Jan-2017

General Hygiene Considerations Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Regular cleaning of equipment, work area and clothing is recommended.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical	and chemical properties		
Physical State	Solid		
Color	Gray		
Odor	No information available		
Odor Threshold	No information available		
Property_	Values	Remarks • Method	
рН	No information available		
Melting point / freezing point	No information available		
Boiling point / boiling range	No information available		
Flash Point	> 93.3 °C / > 200 °F		
Evaporation Rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor Pressure	No information available		
Vapor Density	No information available		
Relative Density	No information available	Water Solubility	No information available
		Solubility in Other	
		Solvents	
		Partition Coefficient	No information available
		Autoignition	No information available
		Temperature	
		Decomposition	No information available
		Temperature	
Kinematic Viscosity	No information available		
Dynamic Viscosity	No information available		
Explosive Properties	No information available		
Oxidizing Properties	No information available		
Oxidizing Properties	NO INIOMATION AVAILABLE		
9.2. Other information			
Softening Point	No information available		
Molecular Weight	No information available		
Solvent content (%)	No information available		
Solid content (%)	100		
Density	2.600 g/cm³ < .1 %		
VOC	< .1 %		

WEBCRETE(R) 95

Revision Number 2

Revision Date 03-Jan-2018 Supersedes Date: 27-Jan-2017

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Protect from moisture.

10.5. Incompatible materials

None known based on information supplied.

10.6. Hazardous decomposition products

None known based on information supplied.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information	No data available
Inhalation	May cause irritation of respiratory tract.
Eye contact	Avoid contact with eyes. Corrosive to eyes.
Skin Contact	Irritating to skin. May cause sensitization by skin contact.
Ingestion	No data available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Limestone 1317-65-3	>5000 mg/kg (rat)	-	-
Cement, alumina, chemicals 65997-16-2	LD50 >2000 mg/Kg Rat	LD50 >2000 mg/Kg Rat	-
Cement, portland, chemicals 65997-15-1	LD50 >2000 mg/Kg (Rat)	LD50 >2000 mg/Kg	-
Calcium sulfate 7778-18-9	> 3000 mg/kg (Rat)	-	CL50 >2.61 mg/L (4h) Rat
Quartz 14808-60-7	>20000 mg/kg	-	-
Flue dust, zinc-refining 69012-63-1	-	LD50 1110 mg/Kg	LD50 1.5 mg/l 4 hr

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Irritation Corrosivity Sensitization Germ Cell Mutagenicity No information available. Irritating to skin. Causes severe eye damage. No information available. No information available. May cause sensitization by skin contact. No information available.

WEBCRETE(R) 95 Revision Number 2

Revision Date 03-Jan-2018 Supersedes Date: 27-Jan-2017

Reproductive Toxicity	Product is or contains a chemical which is a known or suspected reproductive hazard.
Developmental Toxicity	No information available.
Teratogenicity	No information available.
STOT - Single Exposure	May cause respiratory irritation.
STOT - Repeated Exposure	No information available.
Chronic Toxicity	Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure.
Target Organ Effects	Eyes, Respiratory system, Skin.
Aspiration hazard	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	Х
14808-60-7				
Flue dust, zinc-refining	A3	Group 1	Known	Х
69012-63-1	A2	Group 2A	Reasonably Anticipated	

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen A3 - Confirmed animal carcinogen with unknown relevance to humans IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Limestone 1317-65-3	CE50 (72h) >200mg/L Algae (Desmondesmus subspicatus)	CL50 (96h)>10000mg/L Fish (Oncorhynchus mykiss)		CE50 (48h) >1000 mg/L Daphnia Magna
Cement, alumina, chemicals 65997-16-2	EC50 (72h)Algae (Pseudokirchneriella subcapitata) >5.6mg/L	LC50 (96h) Fish (Onchorhyncus mykiss) >100 mg/L (OECD 203)		EC50 (48h) Daphnia magna =6.6mg/L (OECD 202)
Calcium sulfate 7778-18-9	CL50 (72h) >100 mg/L Algae	LC50 96 h = 2980 mg/L (Lepomis macrochirus static) LC50 96 h > 1970 mg/L (Pimephales promelas static)		CE50 (48h) >100 mg/L Waterflea (Daphnia magna)

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

WEBCRETE(R) 95

Revision Number 2

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORTATION INFORMATION

DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

Section 15: REGULATORY INFORMATION Global Inventories

Global Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D2A - Very toxic materials E - Corrosive material



SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No
Flue dust, zinc-refining	69012-63-1

WEBCRETE(R) 95 **Revision Number** 2

SARA 311/312 Hazard Categories	SARA	311/312	Hazard	Categories
--------------------------------	------	---------	--------	------------

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By	Product Safety & Regulatory Affairs
Revision Date	03-Jan-2018
Revision Note	SDS sections updated, 1, 2, 3, 4, 6, 7, 8, 10, 11, 15, 16.
Training Advice	No information available
Further information	No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet