



Turbo II Set

Wet/Dry Dust Extractor

High performance wet and dry vacuum cleaner with power tool connection for workshop and installation use.

Product number: 9 20 36 060 09 0

Details

- + High performance turbine for 151 cfm (71 l/s) flow rate and 98.4" of water lift (245 mbar vacuum).
- + Low volume of 66 dB (A).
- + Large range due to 19 ft [6 m] power cord and 13 ft [4 m] vacuum hose.
- + Anti-static function against electrostatic charging during work – electrostatically conductive with optionally available suction hose
- + 3 13 45 120 01 0 and tool coupling 3 13 45 300 01 0.
- + Large wheels rotate 360° for optimal maneuverability, even in tight conditions.
- + Tool coupling with suction control for easy control of suction power.
- + Autostart outlet with power-on delay to prevent current spikes.
- + Practical storage area with rim.
- + Approval for dust class L.

Price includes

- + 1 tool coupling with suction control
- + 1 suction hose 13 ft [4 m], 1-3/8 in [35 mm] dia.
- + 1 elbow
- + 1 crevice tool
- + 1 Fleece filter bag
- + 1 combination tool with interchangeable inserts
- + 1 dusting brush
- + 2 metal extension tubes
- + 1 Flat-fold filter

Product feature

- + Automatic on/off
- + Anti-static preparation
- + Dust class
- + Soft-start
- + Anti-static function

Technical data

TECHNICAL DATA

Maximum power input

1,100 W

Suction capacity

151 [4,270] cfm[l/min]

Static water lift

98 [245] psi[bar]

Capacity

9 [32] gal[l]

Cable with plug

20 [6] ft[m]

Weight

20.06 lbs

Application examples

