# LATICRETE

# SAFETY DATA SHEET

## 1. Identification

Product identifier LATICRETE NXT Primer

Other means of identification None.

Recommended use Primer.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name
 LATICRETE International
Address 1 Laticrete Park, N
 Bethany, CT 06524

**Telephone** (203)-393-0010

Contact person Steve Fine Website www.laticret

Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night

USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazardsSensitization, skinCategory 1CarcinogenicityCategory 1B

OSHA defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** May cause an allergic skin reaction. May cause cancer.

**Precautionary statement** 

Prevention Avoid breathing mist/vapors. Contaminated work clothing must not be allowed out of the

workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face

protection.

**Response** If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse. If exposed or concerned:

Get medical advice/attention.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

**Mixtures** 

LATICRETE NXT Primer SDS US

916916 Version #: 02 Revision date: 05-August-2015 Issue date: 11-November-2013

Chemical name	CAS number	%
Styrene acrylate polymer	N/A	45 - 55
Formaldehyde	50-00-0	<= 0.1

**Composition comments** 

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if any discomfort continues.

Skin contact Wash skin with soap and water. If skin irritation or rash occurs: Get medical advice/attention. Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if symptoms Eye contact

persist.

Rinse mouth. Do not induce vomiting. Get medical attention if any discomfort continues. Ingestion

Most important symptoms/effects, acute and

delayed

Symptoms include redness, itching and pain.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

so without risk. Use water spray to cool unopened containers.

General fire hazards No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS. Environmental manager must be informed of all major releases.

# **Environmental precautions**

## 7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Persons susceptible for allergic reactions should not handle this product. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and well-ventilated place.

LATICRETE NXT Primer SDS US

## 8. Exposure controls/personal protection

## Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Туре	Value
Formaldehyde (CAS 50-00-0)	STEL	2 ppm
,	TWA	0.75 ppm

#### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	
Formaldehyde (CAS	Ceiling	0.3 ppm	

#### **US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Туре	Value	
Formaldehyde (CAS 50-00-0)	Ceiling	0.1 ppm	
•	TWA	0.016 ppm	

**Biological limit values**No biological exposure limits noted for the ingredient(s).

Appropriate engineering

Provide adequate ventilation and minimize the risk of inhalation of vapors.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection Risk of contact: Wear protective gloves and goggles/face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

Appearance	Dispersion.
Physical state	Liquid.
Form	Liquid.
Color	White
Odor	Slight acrylic
Odor threshold	Not available

Odor thresholdNot available.pH6.5 - 9.5Melting point/freezing point32 °F (0 °C)Initial boiling point and boiling212 °F (100 °C)

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 17.5 mm Hg @ 68 F

LATICRETE NXT Primer SDS US

Vapor density 0.6 Relative density 0.998

Solubility(ies)

Solubility (water) Miscible in water.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Heat, flames and sparks.

Incompatible materials Oxidizing agents.

**Hazardous decomposition** 

Carbon dioxide (CO2). Carbon monoxide. Nitrogen oxides.

products

## 11. Toxicological information

Information on likely routes of exposure

**Inhalation** In high concentrations, vapors may be irritating to the respiratory system.

Skin contactMay cause skin irritation.Eye contactMay cause eye irritation.

**Ingestion** May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms include redness, itching and pain.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Product Species Test Results

LATICRETE NXT Primer (CAS Mixture)

Acute

Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat > 2000 mg/kg

Components Species Test Results

Formaldehyde (CAS 50-00-0)

Acute

Inhalation

LC50 Rat 0.82 mg/l, 0.5 Hours

Oral

LD50 Rat 100 mg/kg

**Skin corrosion/irritation** May cause skin irritation on prolonged or repeated contact.

Serious eye damage/eye

irritation

May cause eye irritation on direct contact.

Respiratory or skin sensitization

**ACGIH** sensitization

Formaldehyde (CAS 50-00-0) Sensitizer.

**Respiratory sensitization** No data available.

LATICRETE NXT Primer SDS US

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Not classified. Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Formaldehyde (CAS 50-00-0) 1 Carcinogenic to humans.

**NTP Report on Carcinogens** 

Formaldehyde (CAS 50-00-0) Known To Be Human Carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0) Cancer

Reproductive toxicity No data available. Specific target organ toxicity single exposure

No data available.

Specific target organ toxicity -

No data available.

repeated exposure

Not classified. **Aspiration hazard** No data available. **Chronic effects** 

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Product Species Test Results** 

LATICRETE NXT Primer

Aquatic Acute

LC50 Fish Fish > 100 mg/lComponents **Species Test Results** 

Formaldehyde (CAS 50-00-0)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 4.3 - 7.8 mg/l, 48 hours

Fish LC50 Striped bass (Morone saxatilis) 10.302 - 16.743 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

No data available for this product. Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Formaldehyde (CAS 50-00-0) 0.35

Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions** 

contents/container in accordance with local/regional/national/international regulations.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Local disposal regulations

Since emptied cylinders may retain product residue, follow label warnings even after cylinder is

emptied.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

Not regulated as dangerous goods.

LATICRETE NXT Primer SDS US **IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not available.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Formaldehyde (CAS 50-00-0) Cancer

Skin sensitization Respiratory sensitization

Eye irritation Skin irritation

respiratory tract irritation

Acute toxicity Flammability

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Formaldehyde (CAS 50-00-0) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

**Chemical name CAS** number **Threshold Threshold** Reportable Threshold quantity planning quantity planning quantity, planning quantity, (pounds) lower value (pounds) upper value (pounds) (pounds)

Formaldehyde 50-00-0 100 500

SARA 311/312 Hazardous No

SARA 313 (TRI reporting)

chemical

al

Chemical nameCAS number% by wt.Formaldehyde50-00-0<= 0.1</td>

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Formaldehyde (CAS 50-00-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Formaldehyde (CAS 50-00-0)

Safe Drinking Water Act

Not regulated.

(SDWA)

**US** state regulations

WARNING: This product contains chemical(s) known to the State of California to cause cancer

and birth defects or other reproductive harm.

**US. Massachusetts RTK - Substance List** 

Formaldehyde (CAS 50-00-0)

US. New Jersey Worker and Community Right-to-Know Act

Formaldehyde (CAS 50-00-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Formaldehyde (CAS 50-00-0)

LATICRETE NXT Primer SDS US

#### **US. Rhode Island RTK**

Formaldehyde (CAS 50-00-0)

## **US. California Proposition 65**

## US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Formaldehyde (CAS 50-00-0)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

11-November-2013 Issue date **Revision date** 05-August-2015

Version # 02

United States & Puerto Rico

NFPA ratings



References HSDB® - Hazardous Substances Data Bank

916916 Version #: 02 Revision date: 05-August-2015 Issue date: 11-November-2013

Registry of Toxic Effects of Chemical Substances (RTECS)

**Disclaimer** The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

7/7

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).