

## **STABILA rotation lasers:**

Specialists in precise work over long distances.

# Level large areas precisely.

Rotation lasers from STABILA measure at a very high degree of accuracy. Working together with the receiver, they are specialists in working over long distances. Rotation lasers offer great functionality and are flexible in their use both indoors and outdoors. As all STABILA rotation lasers can also be operated using rechargeable batteries, they can be used at any time.









**LAR 350** 

**LAR 300** 

**LAR 160** 

**LAR 160 G** 









Highly accurate

Levelling accuracy 0.1 mm/m

Large working area

600-800 m

# Waterproof and dustproof

IP 65

#### Can be used at any time

Optional: Li-ion rechargeable battery



## Florian Wilhelmy, master carpenter (from Neustadt, Germany)

The 26-year-old shared his thoughts with STABILA's product management team during the product development of the LAR 160 G.

## STABILA LAR 160 rotation laser

- Fully automatic, motor-driven rotation laser high levelling accuracy of ± 0.1 mm/m, fast self-levelling within 20 seconds.
- Four laser functions for versatile use –
  horizontal and vertical rotation, plumb-line
  function and right angle (90°)
  in vertical operation.
- Protection class IP 65 dustproof and waterproof.
- Shock-absorbent STABILA soft grip casing provides protection against impacts – the stable housing cover also protects the laser optics.

- Easy to use via three control buttons on/off, tilt mode, manual mode.
- Battery drawer easy replacement, even directly on the tripod.
- Large working area with REC 160 RG set receiver – up to 600 m in diameter.
- Two 5/8" threads integrated in the housing for horizontal and vertical use on a tripod.
- Stable carrying case for easy transport and safe storage.













#### **Application examples**

- In bricklaying creating the levelling layer.
- In reinforced concrete construction –concreting foundations or constructing batter boards.
- In metal construction aligning and positioning steel beams in industrial building construction.
- In gardening and landscaping work laying out garden areas, paths and paving.
- In carpentry and wood construction attaching façade cladding.
- In civil engineering and pipeline construction installing pipelines.



# LAR 160 G rotation laser with GREENBEAM technology





### **Green** BEAM






#### **Application examples**


- For a wide range of tasks in drywall construction.
- Transfer heights quickly and easily in electrical installation work.
- Precise transfer of marking points during plumbing work.
- Transfer heights reliably in joinery and installation work.

- Fully automatic, motor-driven rotation laser high levelling accuracy of ± 0.1 mm/m, fast self-levelling within 20 seconds.
- STABILA GREENBEAM technology for improved visibility of the rotating laser beam – green laser beams are four times more visible to the human eye than red beams.
- Four laser functions for versatile use –
  horizontal and vertical rotation, plumb-line
  function and right angle (90°)
  in vertical operation.
- Protection class IP 65 dustproof and waterproof.

- Shock-absorbent STABILA soft grip casing provides protection against impacts – the stable housing cover also protects the laser optics.
- Easy to use via three control buttons on/off, tilt mode, manual mode.
- Battery drawer easy replacement, even directly on the tripod.
- Large working area with REC 160 RG set receiver – up to 600 m in diameter.
- Two 5/8" threads integrated in the housing.
- Stable carrying case.



## LAR 350 rotation laser



## **Application examples**

- In **bricklaying** creating the levelling layer.
- In reinforced concrete construction –concreting foundations or constructing batter boards.
- In metal construction aligning and positioning steel beams in industrial building construction.
- In gardening and landscaping work laying out garden areas, paths and paving.
- In carpentry and wood construction attaching facade cladding.
- In civil engineering and pipeline construction installing pipelines.

# 2-axis inclination sensor



MOTION CONTROL
Innovative control solution



Made in Germany









- Fully automatic, motor-driven rotation laser for horizontal and vertical applications as well as manual inclination in two axes.
- Innovative MOTION CONTROL quick, reliable and convenient laser operation by rotating the remote control.
- DUAL SLOPE inclination function inclination setting of up to 5° on two axes.
- SCAN function for working directly on the visible laser line.
- SECTION MODE working area which can be limited as required in rotation mode. The laser beam is only emitted in a defined area.
- LED ASSIST system for easy operation and safety in the workplace. Integrated LEDs indicate, for example, which axis is currently tilted or is being tilted.
- MANUAL ALIGNMENT function pivoting an axis in vertical operation.
- Patented STABILA PROTECTOR system perfect protection, even when the laser is dropped from a tripod at a height of up to 1.80 m.
- Waterproof and dustproof in accordance with protection class IP 65.
- Working area with a diameter of up to 800 m.

## LAR 300 rotation laser

- Fully automatic motor-controlled rotation laser for horizontal applications.
- Ready for use straight away thanks to fast self-levelling within 10 seconds. Quality and precision, made in Germany.
- Extremely tough thanks to the STABILA
   PROTECTOR system perfect protection, even
   when the laser is dropped from a tripod at a
   height of up to 1.80 m: just set up the tripod
   again, switch on and carry on measuring.
- Resistant to heat and cold from -10 °C to +60 °C.
- Extremely easy to operate at just the touch of a button.
- Correct heights quickly direct reading of deviations from the reference plane on the receiver display with millimetre accuracy.
- Receiver with visual and acoustic guidance as well as two displays.
- 5/8" thread for attaching to a tripod.
- Carrying case for easy transport.



Made in Germany



#### **Application examples**

- In **bricklaying** creating the levelling layer.
- In reinforced concrete construction concreting foundations.
- In carpentry and wood construction adjusting the height of the ring beam.
- In civil engineering and pipeline construction for example, trenching.
- In gardening and landscaping work laying out garden areas, paths and paving.





## The right set for every requirement



LAR 350, 9-piece set
Art. No. 19111
LAR 350 rotation laser,
REC 300 Digital receiver,
RC-LAR350 remote control,
BST-S construction tripod,
NL levelling rod, 90° angle rail,
laser goggles, target plate,
carrying case,
2 x D 1.5 V batteries,



LAR 160, 5-piece set
Art. No.: 19157
LAR 160 rotation laser,
REC 160 RG receiver,
laser goggles, target plate,
carrying case,
2 x D 1.5 V batteries,
2 x AA 1.5 V batteries



LAR 350, 7-piece set
Art. No.: 19019
LAR 350 rotation laser,
REC 300 Digital receiver,
RC-LAR350 remote control,
90° angle rail, laser goggles,
target plate, carrying case,
2 x D 1.5 V batteries,
4 x AA 1.5 V batteries

4 x AA 1.5 V batteries



LAR 160, 7-piece set
Art. No.: 19241
LAR 160 rotation laser,
REC 160 RG receiver,
BST-5 construction tripod,
NL levelling rod,
laser goggles, target plate,
carrying case,
2 x D 1.5 V batteries,
2 x AA 1.5 V batteries



LAR 300, 3-piece set Art. No.: 19270 LAR 300 rotation laser, REC 300 Digital receiver, carrying case, 2 x D 1.5 V batteries, 2 x AA 1.5 V batteries



LAR 160 G, 4-piece set Art. No.: 19240 LAR 160 G rotation laser, REC 160 RG receiver, target plate, carrying case, 2 x D 1.5 V batteries, 2 x AA 1.5 V batteries

#### **Optional accessories**



REC 300 Digital Art. No.: 16957 For rotation lasers with red laser beams.



REC 160 RG Art. No.: 19439 For rotation lasers with red or green laser beams.



AE-LAR350 Art. No.: 19036 Li-ion rechargeable battery unit for LAR 350 and LAR 300 lasers.



AE-LAR160 Art. No.: 19433 Li-ion rechargeable battery unit for LAR 160 and LAR 160 G lasers.

## **Product comparison**

	LAR 160 *	LAR 160 G *	LAR 300 *	LAR 350 *
Technical data				
Levelling accuracy	0.1 mm/m	0.1 mm/m	0.1 mm/m	0.1 mm/m
Working area with set receiver	Ø 600 m	Ø 600 m	Ø 800 m	Ø 800 m
Operating life	Approx. 40 hours	Approx. 20 hours	Approx. 80 hours	Approx. 80 hours
Laser class	2	2	2	2
Protective functions				
Protection class	IP 65	IP 65	IP 65	IP 65
STABILA PROTECTOR system	-	_	1.80 m Fall protection	1.80 m Fall protection
Equipment				
Receiver	REC 160 RG	REC 160 RG	REC 300 Digital	REC 300 Digital
Optional rechargeable bat- teries	AE-LAR160 battery unit	AE-LAR160 battery unit	AE-LAR350 battery unit	AE-LAR350 battery unit
90° angle rail	_	_	_	<b>✓</b>
Laser goggles	✓	_	_	✓
Target plate	✓	✓	_	✓
Carrying case	✓	✓	✓	✓
Batteries included	✓	✓	✓	✓
Special features				
	-	<b>GREEN</b> BEAM technology	_	MOTION CONTRO
Laser functions	5	5	3	8
Plumb-line function	✓	✓	✓	✓
Rotation function, horizontal	✓	✓	✓	✓
Rotation function, vertical	✓	✓	✓	✓
Point function (alignment)	✓	✓	_	✓
Right angle (90°)	✓	✓	_	✓
Line function, horizontal (scan)	_	_	_	<b>√</b>
Line function, vertical (scan)	_	_	_	✓
Inclination function	_	_	_	✓

<sup>\*</sup> Compatible with commercially available machine controllers

1 +49 6346 309-0

+49 6346 309-480
info@stabila.de

www.stabila.com

# Good tools make for good work

Precise measurement is one of the most fundamental aspects of manual work. So it's important that professionals are able to completely rely on the accuracy of their measuring tools. In any weather and in the harshest construction site conditions. Tough, durable and accurate tools which are easy to use. STABILA designs and produces measuring equipment of exactly this calibre. And has done so since 1889.







Our technical support team will assist you with all questions relating to product selection and use: Call +49 6346 309-0 or send an e-mail to info@stabila.de.

Errors or changes in colour, technology and equipment excepted.